

Food Preparation Tables

TSSU, TPP & TFP

English





Contents



- 2** About True
- 4** Sandwich/Salad Tables
- 10** Pizza Prep Tables
- 14** Food Prep Tables



The industry's most complete refrigeration source.
True.

True is the world's leading supplier of quality commercial refrigeration. Founded over 70 years ago in Missouri, USA, True continues to flourish around the globe by offering the best possible environment to store your food products.





True, Your Energy Efficient Future... Naturally



Hydrocarbon has less than **THREE** Global Warming Potential (R134A = 1,430)



Naturally Occurring Refrigerant = Environmentally Friendly



Up to 15% more efficient than R134A and R404A



ZERO Ozone Depletion Potential



Sustainability

Over 70 Years of commercial refrigeration focus have enabled True to become experts in the design and development of our systems. While energy efficiency has always been part of our design process, we continue to utilize new technologies to improve our systems to be the most efficient in the industry, without sacrificing the performance that ultimately provides food safety for our customers throughout the World.

True continually searches for environmentally friendly components and processes to help reduce our own and our customers' carbon footprint. Initiatives include offering a natural refrigerant and a zero GWP/ODP Ecomate® foam insulation.

Energy efficiency without compromise.



Many True products have qualified for inclusion on the ECA Energy Technology list.



Our natural refrigerant option is available on select models.



PREP TABLES

Sandwich/Salad Tables

Incredibly adaptable, True's salad/sandwich tables are designed with enduring quality that protects your long-term investment.

The flexible well configurations allow you to tailor your ingredient pans to both your operation and menu, reducing preparation time and enhancing your product freshness.

Convenient undercounter cabinets allow for increased product storage and facilitate quick pan changeovers and replenishment.







Sandwich/Salad Prep Tables

Cutting Board


Full length removable cutting board; extra deep options available.



Coated evaporators



Robust components



Efficient motors



Digital display



Patented airflow

Pans

102 mm deep, clear polycarbonate insert pans supplied as standard. Also accepts 150 and 200 mm deep pans.

TSSU-48-12-HC

Solid Door Sandwich/Salad Table



Lid & Hood

Insulated lid and hood keep temperatures colder, lock in freshness and minimize condensation. Removable for easy cleaning.

Insulation

Foamed-in-place Ecomate®, a high density, (CFC free) polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Refrigeration

Advanced, robust and environmentally friendly refrigeration system.



TSSU-27-08D-2



TSSU-36-08








TSSU-60-08



TSSU-60-16D-4

PREP TABLES Sandwich/Salad

TSSU: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-27-08	1 / 0	2	702 x 766 x 1093	184	91	4
TSSU-27-08D-2	0 / 2	—	702 x 766 x 1093	184	109	4
TSSU-36-08	2 / 0	4	924 x 766 x 1093	240	116	6
TSSU-48-08-HC 	2 / 0	4	1229 x 766 x 1093	366	134	6
TSSU-48-10-HC 	2 / 0	4	1229 x 766 x 1093	366	136	8
TSSU-48-12-HC 	2 / 0	4	1229 x 766 x 1093	396	155	10
TSSU-48-12D-2-HC 	1 / 2	2	1229 x 766 x 1093	366	155	10
TSSU-48-12D-4-HC 	0 / 4	—	1229 x 766 x 1093	366	155	12
TSSU-60-08	2 / 0	4	1534 x 766 x 1093	439	155	6
TSSU-60-10	2 / 0	4	1534 x 766 x 1093	439	166	6
TSSU-60-12	2 / 0	4	1534 x 766 x 1093	439	171	8
TSSU-60-16	2 / 0	4	1534 x 766 x 1093	439	164	10
TSSU-60-16-DS-ST	2 / 0	4	1534 x 985 x 956	439	193	12
TSSU-60-16D-2	1 / 2	2	1534 x 766 x 1093	439	184	12
TSSU-60-16D-4	0 / 4	—	1534 x 766 x 1093	439	191	14
TSSU-72-08	3 / 0	6	1839 x 766 x 1093	439	198	6
TSSU-72-10	3 / 0	6	1839 x 766 x 1093	439	198	8
TSSU-72-12	3 / 0	6	1839 x 766 x 1093	439	202	10
TSSU-72-16	3 / 0	6	1839 x 766 x 1093	439	200	12
TSSU-72-18	3 / 0	6	1839 x 766 x 1093	538	202	14

†DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS.

**WIDTH DOES NOT INCLUDE 4MM (EACH SIDE) FOR LID PINS (TSSU-27'S).

**WIDTH DOES NOT INCLUDE 7MM EACH SIDE FOR CUTTING BOARD BRACKETS.

‡AVAILABLE WITH 483 MM CUTTING BOARD OR CRUMB CATCHER.

NOTE: DEPTH ON DUAL SIDED DOES NOT INCLUDE 80MM FOR CUTTING BOARDS.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT



TSSU-72-08



TSSU-72-12



TSSU-72-18

TSSU: Mega-Top Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H*	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-27-12M-B	1 / 0	2	702 x 867 x 1185	184	107	
TSSU-27-12M-C	1 / 0	2	702 x 867 x 1185	184	107	
TSSU-36-12M-B	2 / 0	4	924 x 867 x 1185	240	118	
TSSU-48-12M-B	2 / 0	4	1229 x 867 x 1185	340	148	
TSSU-48-18M-B-HC	2 / 0	4	1229 x 867 x 1185	366	141	
TSSU-60-12M-B	2 / 0	4	1534 x 867 x 1185	439	168	
TSSU-60-15M-B	2 / 0	4	1534 x 867 x 1185	439	168	
TSSU-60-18M-B	2 / 0	4	1534 x 867 x 1185	439	175	
TSSU-60-24M-B-ST	2 / 0	4	1534 x 867 x 1185	439	175	
TSSU-60-24M-B-DS-ST	2 / 0	4	1534 x 1026 x 956	439	191	
TSSU-72-12M-B	3 / 0	6	1839 x 867 x 1185	538	200	
TSSU-72-15M-B	3 / 0	6	1839 x 867 x 1185	538	202	
TSSU-72-18M-B	3 / 0	6	1839 x 867 x 1185	538	202	
TSSU-72-24M-B-ST	3 / 0	6	1839 x 867 x 1185	538	207	
TSSU-72-30M-B-ST	3 / 0	6	1839 x 867 x 1185	538	214	
TSSU-72-30M-B-DS-ST	3 / 0	6	1839 x 1064 x 956	538	223	

†DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS.

**WIDTH DOES NOT INCLUDE 4MM (EACH SIDE) FOR LID PINS (TSSU-27'S).

**WIDTH DOES NOT INCLUDE 7MM EACH SIDE FOR CUTTING BOARD BRACKETS.

‡AVAILABLE WITH 483 MM CUTTING BOARD OR CRUMB CATCHER.

NOTE: DEPTH ON DUAL SIDED DOES NOT INCLUDE 80MM FOR CUTTING BOARDS.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

HYDROCARBON REFRIGERANT

TSSU: Sandwich/Salad Units with Flat Glass Lid

Model	Doors/Drawers	Shelves	Dimensions (mm) W x D† x H*	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-48-18M-B-FGLID-HC	2 / 0	4	1229 x 884 x 967	366	141	
TSSU-60-24M-B-ST-FGLID	2 / 0	4	1532 x 884 x 967	439	168	
TSSU-72-30M-B-ST-FGLID	3 / 0	6	1839 x 884 x 967	538	213	

† DEPTH DOES NOT INCLUDE 7 MM FOR REAR BUMPERS.

* HEIGHT DOES NOT INCLUDE 584 MM FOR OPEN LID.

All dimensions rounded up to the nearest whole millimeter.

HYDROCARBON REFRIGERANT



TSSU-27-12M-B



TSSU-36-12M-B



TSSU-60-12M-B



TSSU-60-24M-B-ST-FGLID


PREP TABLES Sandwich/Salad

FLAT LID OPTION (TSSU MODELS)

DESCRIPTION	NUMBER OF LIDS	NUMBER OF PANS	ITEM NUMBER
STANDARD TSSU'S			
TSSU-27-08	1	8	920232-FI
TSSU-36-08	1	8	920051-FI
TSSU-48-08-HC	1	8	920051-FI
TSSU-48-10-HC	1	10	920052-FI
TSSU-48-12-HC	1	12	920053-FI
TSSU-60-08	1	8	920051-FI
TSSU-60-10	1	10	920052-FI
TSSU-60-12	1	12	920053-FI
TSSU-60-16*	2	8 / 8	920054-FI
TSSU-72-08	1	8	920051-FI
TSSU-72-10	1	10	920052-FI
TSSU-72-12	1	12	920053-FI
TSSU-72-16*	2	8 / 8	920054-FI
TSSU-72-18*	2	10 / 8	920477-FI

*Unit now becomes a split top with two pan openings.

Note: Flat lids are factory installed, contact customer service for lead time.



TSSU Flat Lid

FLAT LID OPTION (TSSU MEGA TOP MODELS)

DESCRIPTION	NUMBER OF LIDS	NUMBER OF PANS	ITEM NUMBER
MEGA TOP TSSU'S			
TSSU-27-12MB/-C	1	12	920233-FI
TSSU-36-12MB	1	12	920056-FI
TSSU-48-12MB	1	12	920056-FI
TSSU-48-18MB-HC	1	18	920067-FI
TSSU-60-12MB	1	12	920056-FI
TSSU-60-15MB	1	15	920057-FI
TSSU-60-18MB	1	18	920067-FI
TSSU-60-24MB-ST	2	12 / 12	920058-FI
TSSU-72-12MB	1	12	920056-FI
TSSU-72-15MB	1	15	920057-FI
TSSU-72-18MB	1	18	920067-FI
TSSU-72-24MB-ST	2	12 / 12	920058-FI
TSSU-72-30MB-ST	2	12 / 18	920059-FI

Note: Flat lids are factory installed, contact customer service for lead time.




PREP TABLES

Pizza Prep Tables

True pizza prep tables offer market-leading design and are manufactured specifically to satisfy the demands of the busy pizza preparation area.

All models are manufactured using the highest quality materials and components, providing the user with the most consistent product temperatures, lower utility costs, exceptional food safety and the best value in today's foodservice marketplace.







Pizza Prep Tables

Wells

Refrigerated wells at the back of the counter keep the pizza toppings cool throughout the service period. True's robust, environmentally friendly forced-air refrigeration system holds the temperature in the ingredient wells and undercounter storage space at 0,5 to 5°C.



Coated evaporators




Robust components



Efficient motors



Digital display



Patented airflow

TPP-44D-2

Drawered Pizza Prep Table

Cutting Board

Extra-deep, 495 mm removable cutting/preparation board that runs along the entire length. Made from hygienic, high density, white polyethylene, the board provides a tough, wipe clean preparation surface.

Lid

When ingredients are not required, a patented stainless steel, foam insulated flat lid covers the wells, keeping temperatures colder, locking in freshness, and minimizing condensation.

Insulation

Foamed-in-place Ecomate®, a high density, (CFC free) polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).



TPP-44



TPP-60D-2















TPP-67-HC



TPP-93D-6-HC

PREP TABLES Pizza Prep

TPP: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H*	Litres	Crated Weight (kg)	Number of 1/3 Pans (top)
TPP-44	1 / 0	2	1131 x 854 x 1058	323	150	8
TPP-44D-2	0 / 2	—	1131 x 854 x 1058	323	168	8
TPP-60	2 / 0	4	1531 x 854 x 1058	451	184	12
TPP-60D-2	1 / 2	2	1531 x 854 x 1058	451	202	12
TPP-67HC 	2 / 0	4	1709 x 854 x 1058	671	188	16
TPP-67D-2HC 	1 / 2	2	1709 x 854 x 1058	671	188	16
TPP-67D-4HC 	0 / 4	—	1709 x 854 x 1058	671	188	16
TPP-93HC 	3 / 0	6	2369 x 854 x 1058	1011	250	20
TPP-93D-2HC 	2 / 2	4	2369 x 854 x 1058	1011	250	20
TPP-93D-4HC 	1 / 4	2	2369 x 854 x 1058	1011	250	20
TPP-93D-6HC 	0 / 6	—	2369 x 854 x 1058	1011	250	20
TPP-119HC 	4 / 0	8	3029 x 854 x 1058	1328	323	24
TPP-119D-2HC 	3 / 2	6	3029 x 854 x 1058	1382	323	24
TPP-119D-4HC 	2 / 4	4	3029 x 854 x 1058	1328	322	24
TPP-119D-6HC 	1 / 6	2	3029 x 854 x 1058	1328	323	24
TPP-119D-8HC 	0 / 8	—	3029 x 854 x 1058	1328	323	24

†DEPTH DIMENSION DOES NOT INCLUDE 77MM FOR CUTTING BOARDS.

†DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS OR 7MM FOR FRONT BUMPER.

**WIDTH DIMENSION DOES NOT INCLUDE 7MM (EACH SIDE) FOR CUTTING BOARD BRACKETS.

**WIDTH DIMENSION DOES NOT INCLUDE 10MM (EACH SIDE) FOR LID PINS ON THE TPP-60, TPP-60D-2, TPP-67-HC, TPP-67D-2-HC & TPP-67D-4-HC.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT

GARNISH RACKS



Garnish Rack

DESCRIPTION		ITEM NUMBER
TPP-44	1	874625
TPP-60	1	883520
TPP-67HC	1	874626
TPP-93HC	1 set of 2	874627
TPP-119HC	1 set of 2	883521
Garnish Rack Pan	477mm x 328mm	802326



Telescoping Hood



Topping Catcher

TPP TELESCOPING HOOD & TOPPING CATCHER OPTIONS (FACTORY INSTALLED)

TELESCOPING HOOD
TPP-44
TPP-60
TPP-67HC
TPP-93HC
TPP-119HC
TOPPING CATCHER
TPP-44
TPP-60
TPP-67HC
TPP-93HC
TPP-119HC

Telescoping Hood & Topping Catcher options are available for all existing variations and voltages of TPP series models.

Telescoping Hood & Topping Catcher options are available separately or combined.

Telescoping Hood & Topping Catcher options are not field retrofitable.

Note: contact factory for further information.



TPP-67D-4-HC



TPP-93-HC



TPP-119-HC



Food Prep Tables

Cutting Board


Full length removable cutting board.



Coated evaporators



Robust components



Efficient motors



Digital display



Patented airflow

Pans

102 mm deep, clear polycarbonate insert pans supplied as standard. Also accepts 150 and 200 mm deep pans.

TFP-48-18M-HC

Solid Door Food Prep Table

Lid & Hood

Insulated lid and hood keep temperatures colder, lock in freshness and minimize condensation. Removable for easy cleaning.



Insulation

Foamed-in-place Ecomate®, a high density, (CFC free) polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Refrigeration

Advanced, robust and environmentally friendly refrigeration system.



TFP-32-12M-HC



TFP-48-18M-D-2-HC































TFP-64-24M-HC



TFP-72-30M-D-4-HC

TFP: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W x D† x H*	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TFP-32-12M-HC 	1 / 0	2	816 x 801 x 1181	314	148	
TFP-32-12M-D-2-HC 	0 / 2	—	816 x 801 x 1181	314	148	
TFP-48-18M-HC 	2 / 0	4	1223 x 801 x 1181	501	207	
TFP-48-18M-D-2-HC 	1 / 2	2	1223 x 801 x 1181	501	207	
TFP-48-18M-D-4-HC 	0 / 4	—	1223 x 801 x 1181	501	218	
TFP-64-24M-HC 	2 / 0	4	1629 x 801 x 1181	623	252	
TFP-64-24M-D-2-HC 	1 / 2	2	1629 x 801 x 1181	623	252	
TFP-64-24M-D-4-HC 	0 / 4	—	1629 x 801 x 1181	623	259	
TFP-64-24M-FGLID-HC 	2 / 0	4	1629 x 820 x 966	623	—	
TFP-72-30M-HC 	3 / 0	6	1832 x 801 x 1181	708	291	
TFP-72-30M-D-2-HC 	2 / 2	4	1832 x 801 x 1181	708	291	
TFP-72-30M-D-4-HC 	1 / 4	2	1832 x 801 x 1181	708	291	
TFP-72-30M-D-6-HC 	0 / 6	—	1832 x 801 x 1181	708	291	
TFP-72-30M-FGLID-HC 	3 / 0	6	1832 x 820 x 966	708	—	

† DEPTH DOES NOT INCLUDE 51 MM FOR CUTTING BOARD.
* HEIGHT FOR ALL UNITS ARE WITH THE LID(S) CLOSED.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT

OVERSHELF KITS (SINGLE/DOUBLE)

DESCRIPTION	ITEM NUMBER
SINGLE OVERSHELVES	
TSSU/TUC/TWT-27 & MEGA	W x D x H: 702mm x 407mm x 509mm* 914976
TSSU/TUC/TWT-36 & MEGA	W x D x H: 924mm x 407mm x 509mm* 914977
TSSU/TUC/TWT-48 & MEGA	W x D x H: 1229mm x 407mm x 509mm* 914978
TSSU/TUC/TWT-60 & MEGA	W x D x H: 1534mm x 407mm x 509mm* 914979
TSSU/TUC/TWT-72 & MEGA	W x D x H: 1839mm x 407mm x 509mm* 914980
TPP/TUC/TWT-44	W x D x H: 1134mm x 407mm x 509mm* 915048
TPP-60, TUC/TWT-60-32	W x D x H: 1534mm x 407mm x 509mm* 915702
TPP/TUC/TWT-67	W x D x H: 1712mm x 407mm x 509mm* 915049
TFP-32	W x D x H: 823mm x 407mm x 1105mm* 958621
TFP-48	W x D x H: 1229mm x 407mm x 1105mm* 958615
DOUBLE OVERSHELVES	
TSSU/TUC/TWT-27 & MEGA	W x D x H: 702mm x 407mm x 839mm* 914981
TSSU/TUC/TWT-36 & MEGA	W x D x H: 924mm x 407mm x 839mm* 914982
TSSU/TUC/TWT-48 & MEGA	W x D x H: 1229mm x 407mm x 839mm* 914983
TSSU/TPP/TUC/TWT-60 & MEGA/TUC/TWT-60-32	W x D x H: 1534mm x 407mm x 839mm* 914984
TSSU/TUC/TWT-72 & MEGA	W x D x H: 1839mm x 407mm x 839mm* 914985
TPP/TUC/TWT-44	W x D x H: 1134mm x 407mm x 839mm* 915014
TPP/TUC/TWT-67	W x D x H: 1712mm x 407mm x 839mm* 915015
TFP-32	W x D x H: 823mm x 407mm x 1435mm* 958620
TFP-48	W x D x H: 1229mm x 407mm x 1435mm* 958614

Made of heavy-gauge stainless steel.

* Indicates maximum height, single overshelves and lower shelf on double overshelves are adjustable.

Note: Overshelves not available for dual sided models.

Note: Overshelves not available for TPP-93 or -119 models.

TPP-67-HC (single overshelf)



TSSU-48-12-HC (double overshelf)



True®

True manufactures the
widest range of professional
refrigeration products.

www.truemfg.com





Food Preparation Tables
Undercounters
Worktops
Traditional Reach-Ins
Underbar Refrigeration
Glass Door Merchandisers
Vertical Air Curtains
Spec Series®
Chef Bases



TRUE REFRIGERATION - EUROPE

US OFFICE

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • USA
US Tel: +1 636.240.2400 • US Fax: +1 636.272.7546
US Toll Free: +1 800.325.6152 • Canada Toll Free to USA: +1 800.860.8783
Email: trueintl@truemfg.com

UK OFFICE

Fields End Road • Goldthorpe • Nr. Rotherham, South Yorkshire, S63 9EU • UK
Tel: +44 (0) 1709.888.080 • Fax: +44 (0) 1709.880.838
UK Freephone: 0 800.783.2049 • Freephone to USA: 0 800.894.928
Email: trueintl@truemfg.com

EU OFFICE

Hauptstr. 269 • 79650 Schopfheim • Germany
Tel: +49 (0) 7622.6883.0 • Fax: +49 (0) 7622.6883.499
Email: trueintl@truemfg.com

AUSTRALIA OFFICE

6B Phiney Place • Ingleburn, NSW 2565 • Australia
Tel: +61 2.9618.9999 • Fax: +61 2.9618.7259
Email: trueintl@truemfg.com

MEXICO OFFICE

Tel: +52.55.5804.6343/6344 • Fax: +52 555 804 6342
Tel U.S.A.: +1 636.240.2400 • Fax U.S.A.: +1 636.272.7546
Toll free from U.S.A. and Mexico: +1 800.325.6152
Email: trueintl@truemfg.com

CHILE OFFICE

Avenida Las Condes #7009, Local 1A Edificio A
CP 7560764, Las Condes, Santiago. Chile
Tlf. +56.232.13.3600 • Tlf. EE.UU.: +1 636.240.2400 • Fax EE.UU.: +1 636.272.7546
Email: trueintl@truemfg.com