



**Admiral Craft**  
Equipment Corp.

800 Shames Drive  
Westbury, NY 11590  
Phone: 800-223-7750  
Fax: 800-447-7751  
[www.admiralcraft.com](http://www.admiralcraft.com)









**Commercial Refrigeration  
Equipment Comparison Chart**

# Solid Door Reach-In Refrigerators

Commercial refrigeration is a must have for any food service establishment. Items such as meats, vegetables, fruits and dairy have to be kept at proper storage temperatures to keep fresh and prevent harmful bacteria from forming. The following are similar examples of solid door commercial reach-in refrigerator units.









Brand						
<b>Model Numbers</b>	USRF Series	MBF85 Series	CFD-RR Series	AR Series	KCBMR Series	EBR Series
<b>Number of Doors</b>	1 2	1 2	1 2	1 2	1 2	1 2
<b>Exterior</b>	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
<b>Interior</b>	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
<b>Capacity</b>	23 cu. ft. 46.5 cu. ft.	21 cu. ft. 46 cu. ft.	23 cu. ft. 46.5 cu. ft.	23 cu. ft. 49 cu. ft.	23 cu. ft. 48 cu. ft.	22 cu. ft. 50 cu. ft.
<b>Overall Dimensions (WxDXH in inches)</b>	29" x 32" x 82.5" 54" x 32" x 82.5"	27" x 31.5" x 82.25" 54" x 31.5" x 82.25"	29" x 32.25" x 82.5" 54" x 32.25" x 82.5"	26.75" x 32.75" x 82.75" 54" x 32.75" x 82.75"	29" x 34" x 82" 54" x 34" x 82"	29.25" x 31.5" x 80.75" 54.25" x 31.5" x 80.75"
<b>Shelves</b>	3 6	3 6	3 6	3 6	3 6	3 6
<b>Temperature Range</b>	32°– 41°F	32°– 41°F	32°– 41°F	33°– 41°F	32°– 50°F	33°– 54°F
<b>Refrigerant</b>	R290	R-134A	R-134A	R-134A	R-134A	R-134A
<b>Horsepower</b>	1/5 1/4	1/4 1/3	1/3 1/2	3/8 1/2	1/3 1/2	1/4 1/3
<b>Voltage/Amps</b>	115V/7.4 Amps 115V/9.4 Amps	115V/4 Amps 115V/6.5 Amps	120V/7.9 Amps 120V/8.4 Amps	115V/6 Amps 115V/7 Amps	115V/7.4 Amps 115V/9.4 Amps	115V/4.3 Amps 115V/4.92 Amps
<b>Compressor Location</b>	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted
<b>Certifications</b>	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
<b>Energy Star</b>	Yes	Yes	No	No	Yes	No
<b>Warranty</b>	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Solid Door Reach-In Freezers

Commercial freezers are essential for keeping all of your frozen meats, desserts and ice cream frozen until ready to be served. These units are built to hold foods at temperatures below the freezing point. The following are similar examples of solid door commercial reach-in freezer units.









Brand						
<b>Model Numbers</b>	USFZ Series	MBF85 Series	CFD-FF Series	AF Series	KCBMF Series	EBF Series
<b>Number of Doors</b>	1 2	1 2	1 2	1 2	1 2	1 2
<b>Exterior</b>	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
<b>Interior</b>	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
<b>Capacity</b>	23 cu. ft. 46.5 cu. ft.	21 cu. ft. 46 cu. ft.	23 cu. ft. 46.5 cu. ft.	23 cu. ft. 49 cu. ft.	23 cu. ft. 48 cu. ft.	22 cu. ft. 50 cu. ft.
<b>Overall Dimensions (WxDXH in inches)</b>	29" x 32" x 82.5" 54" x 32" x 82.5"	27" x 31.5" x 82.25" 54" x 31.5" x 82.25"	29" x 32.25" x 82.5" 54" x 32.25" x 82.5"	26.75" x 32.75" x 82.75" 54" x 32.75" x 82.75"	29" x 34" x 82" 54" x 34" x 82"	29.25" x 31.5" x 80.75" 54.25" x 31.5" x 80.75"
<b>Shelves</b>	3 6	3 6	3 6	3 6	3 6	3 6
<b>Temperature Range</b>	-7°– 0°F	-8°– 1°F	-7°– 0°F	-10°– 10°F	-7°– 10°F	-10°– 5°F
<b>Refrigerant</b>	R-404A	R-404A	R-404A	R-404A	R-404A	R-404A
<b>Horsepower</b>	1/2 1	1/2 3/4	1/2 3/4	5/8 1	3/4 1	1/2 3/4
<b>Voltage/Amps</b>	115V/8.3 Amps 115V/9.9 Amps	115V/6.2 Amps 115V/10 Amps	120V/8.6 Amps 120V/10.1 Amps	115V/9 Amps 115V/12 Amps	115V/8.3 Amps 115V/10.5Amps	115V/7.5 Amps 115V/7.8 Amps
<b>Compressor Location</b>	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted	Bottom mounted
<b>Certifications</b>	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
<b>Energy Star</b>	Yes	Yes	No	No	Yes	No
<b>Warranty</b>	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Salad/Sandwich Prep Tables

Salad/sandwich prep tables give you the convenience of ingredient storage with lots of prep space up top, all in a small, space-saving footprint. The work area up top provides plenty of space to assemble your culinary creations while the refrigerated cabinet base below gives you room to store extra ingredients, garnishes, condiments, etc. They all include a full width cutting board and casters. Below are some examples of similar salad/sandwich prep tables that are great for any small kitchen or food service operation.









Brand						
<b>Model Numbers</b>	USSL Series	MSF83 Series	SCL Series	ASTR Series	KCST Series	EPBN Series
<b>Number of Doors</b>	1 2	1 2	1 2	1 2	1 2	1 2
<b>Exterior</b>	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
<b>Interior</b>	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
<b>Capacity</b>	5.75 cu. ft. 12 cu. ft.	6.5 cu. ft. 12 cu. ft.	5.75 cu. ft. 9.75 cu. ft.	6.5 cu. ft. 12 cu. ft.	6 cu. ft. 12 cu. ft.	6.5 cu. ft. 11.8 cu. ft.
<b>Overall Dimensions (WxDXH in inches)</b>	27" x 29.5" x 42" 48" x 29.5" x 42"	27.5" x 30" x 43.75" 48" x 30" x 43.75"	27.5" x 31" x 42.5" 47" x 31" x 42.5"	29" x 30" x 43" 48.25" x 30" x 43"	27" x 30" x 43" 47" x 30" x 43"	27.5" x 31.5" x 38.25" 47.5" x 31.5" x 38.25"
<b>Shelves</b>	1 2	1 2	1 2	1 2	1 2	1 2
<b>Temperature Range</b>	32°– 41°F	33°– 45°F	32°– 41°F	33°– 41°F	32°– 41°F	32°– 42°F
<b>Refrigerant</b>	R290	R-134A	R-134A	R-134A	R-134A	R-134A
<b>Horsepower</b>	1/4 1/3	1/4 1/3	1/4 1/3	3/8 1/2	1/5 1/3	1/6 1/4
<b>Voltage/Amps</b>	115V/5.3 Amps 115V/7.8 Amps	115V/1.6 Amps 115V/2.2 Amps	120V/3.8 Amps 120V/6.5 Amps	115V/5 Amps 115V/7 Amps	115V/5.3 Amps 115V/7.8 Amps	115V/4.1 Amps 115V/5.2 Amps
<b>Food Pan Capacity</b>	(6) 1/6 & (2) 1/9 pans (12) 1/6 pans	(6) 1/6 & (2) 1/9 pans (12) 1/6 pans	(6) 1/6 & (2) 1/9 pans (12) 1/6 pans	(8) 1/6 pans (12) 1/6 pans	(6) 1/6 & (2) 1/9 pans (12) 1/6 pans	(6) 1/6 (12) 1/6 pans
<b>Certifications</b>	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
<b>Energy Star</b>	No	No	No	No	No	No
<b>Warranty</b>	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Mega Top Salad/Sandwich Prep Tables

Mega top salad/sandwich prep tables give you the convenience of ingredient storage with even more prep space up top, all in a small, space-saving footprint. The larger work area up top provides plenty of space to assemble your culinary creations while the refrigerated cabinet base below gives you room to store extra ingredients, garnishes, condiments, etc. They all include a full width cutting board and casters. Below are some examples of similar salad/sandwich prep tables that are great for any small kitchen or food service operation.









Brand						
Model Numbers	USSLM Series	MSF83 Series	SCLM Series	AMTR Series	KCMT Series	EPB Series
Number of Doors	2	2	2	2	2	2
Exterior	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
Interior	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
Capacity	9.5 cu. ft.	14.7 cu. ft.	9.75 cu. ft.	12 cu. ft.	12 cu. ft.	11.8 cu. ft.
Overall Dimensions (WxDXH in inches)	47" x 34" x 46"	48" x 36" x 46.5"	47" x 35.5" x 46"	48.25" x 34.5" x 47"	47" x 34" x 47"	47.5" x 31.5" x 38.25"
Shelves	2	2	2	2	2	2
Temperature Range	32°– 41°F	33°– 45°F	32°– 41°F	33°– 41°F	32°– 50°F	32°– 42°F
Refrigerant	R290	R-134A	R-134A	R-134A	R-134A	R-134A
Horsepower	1/3	1/3	1/3	1/2	1/3	1/4
Voltage/Amps	115V/7.8 Amps	115V/2.2 Amps	120V/8.1 Amps	115V/7 Amps	115V/7.8 Amps	115V/5.2 Amps
Food Pan Capacity	(9) 1/6 & (3) 1/9 pans	(9) 1/6 & (3) 1/9 pans	(18) 1/6 pans	(16) 1/6 pans	(18) 1/6 pans	(18) 1/6 pans
Certifications	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
Energy Star	No	No	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Pizza Prep Tables

A commercial pizza prep table is a necessity for any pizza place. They have an extra wide cutting board and multiple compartments for keeping all of your sauces, chesses and toppings easily accessible when needed. The top pan rails can hold a variety of different sized food pans up to 6" deep. The cabinets underneath provide additional storage.

The following are similar examples of commercial pizza prep tables.









Brand						
Model Numbers	USPZ Series	MPF Series	PICL Series	APPR Series	KCPT Series	EPP Series
Number of Doors	2 3	2 3	2 3	2	2 3	2 3
Exterior	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
Interior	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
Capacity	17. ft. 24 cu. ft.	20 cu. ft. 26 cu. ft.	17 cu. ft. 24 cu. ft.	21 cu. ft.	16 cu. ft. 24 cu. ft.	23 cu. ft. 30 cu. ft.
Overall Dimensions (WxDXH in inches)	71" x 31.5" x 43" 92" x 31.5" x 43"	67" x 33" x 40.75" 93" x 33" x 40.75"	71" x 37" x 42.5" 92" x 37" x 42.5"	71" x 32.25" x 41"	71" x 32" x 43" 92" x 32" x 43"	71" x 36.5" x 36.75" 93.25" x 36.5" x 36.75"
Shelves	2 3	2 3	2 3	2	2 3	4 6
Temperature Range	32°– 41°F	33°– 45°F	32°– 41°F	33°– 41°F	32°– 50°F	33°– 54°F
Refrigerant	R290	R-134A	R-134A	R-134A	R-134A	R-134A
Horsepower	1/3 1/2	2/3 2/3	1/3 1/2	1/2	1/3 1/2	1/3 1/3
Voltage/Amps	115V/9.8 Amps 115V/10.5 Amps	115V/2.5 Amps 115V/3.6 Amps	120V/8.2 Amps 120V/11.1 Amps	115V/7.5 Amps	115V/9.8 Amps 115V/10.5 Amps	115V/6.3 Amps 115V/6.3 Amps
Food Pan Capacity	(9) 1/3 pans (12) 1/3 pans	(6) 1/3 pans (9) 1/3 pans	(9) 1/3 pans (12) 1/3 pans	(9) 1/3 pans	(9) 1/3 pans (12) 1/3 pans	(9) 1/3 pans (12) 1/3 pans
Certifications	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
Energy Star	No	No	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Undercounter Refrigerators

A commercial undercounter refrigerator provides a premium space saving solution to keep all of your cold ingredients fresh and easy accessible. Perfect for all food service establishments, these undercounter refrigerators are ideal supplements to your larger storage equipment, allowing them to hold smaller quantities of frequently-used ingredients. The following are examples of similar undercounter refrigerators.









Brand						
Model Numbers	USUCRF Series	MGF84 Series	TUC Series	AUCR Series	KCUCR Series	ETBR Series
Number of Doors	1 2	1 2	1 2	1 2	1 2	1 2
Exterior	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
Interior	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
Capacity	6.25 cu. ft. 12 cu. ft.	6.5 cu. ft. 12 cu. ft.	6.25 cu. ft. 11.9 cu. ft.	6.5 cu. ft. 12 cu. ft.	6 cu. ft. 12 cu. ft.	5.6 cu. ft. 10.3 cu. ft.
Overall Dimensions (WxDXH in inches)	27" x 29.5" x 35" 48" x 29.5" x 35"	27.5" x 30" x 36.5" 48" x 30" x 36.5"	27.5" x 30" x 35.25" 47" x 30" x 35.25"	27.75" x 30" x 35.5" 48.25" x 30" x 35.5"	27" x 30" x 35" 47" x 30" x 35"	27.5" x 31.5" x 29.75" 47.5" x 31.5" x 29.75"
Shelves	1 2	1 2	1 2	1 2	1 2	2 4
Temperature Range	32°– 41°F	33°– 45°F	32°– 41°F	33°– 41°F	32°– 50°F	32°– 42°F
Refrigerant	R290	R-134A	R-134A	R-134A	R-134A	R-134A
Horsepower	1/5 1/4	1/6 1/3	1/5 1/4	3/8 3/8	1/5 1/3	1/6 1/6
Voltage/Amps	115V/4.6 Amps 115V/5.4 Amps	115V/1.2 Amps 115V/1.7 Amps	120V/4.6 Amps 120V/4.8 Amps	115V/5 Amps 115V/5 Amps	115V/5 Amps 115V/5.4 Amps	115V/4.1 Amps 115V/4.4 Amps
Certifications	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
Energy Star	No	Yes	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor

# Undercounter Freezers

A commercial undercounter freezer provides a premium space saving solution to keep all of your frozen foods frozen and easy accessible. Perfect for all food service establishments, these undercounter freezers are ideal supplements to your larger storage equipment, allowing them to hold smaller quantities of frequently-used ingredients. The following are examples of similar undercounter freezers.








Brand						
Model Numbers	USUCFZ Series	MGF84 Series	TUCF Series	AUCF Series	KCUCF Series	ETBF Series
Number of Doors	1 2	1 2	1 2	1 2	1 2	1 2
Exterior	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel	430 stainless steel
Interior	304 stainless steel	304 stainless steel	304 stainless steel	Painted aluminum Stainless steel floor	304 stainless steel	304 stainless steel
Capacity	6.25 cu. ft. 12 cu. ft.	6.5 cu. ft. 11.9 cu. ft.	6.25 cu. ft. 11.9 cu. ft.	6.5 cu. ft. 12 cu. ft.	6 cu. ft. 12 cu. ft.	5.6 cu. ft. 10.3 cu. ft.
Overall Dimensions (WxDXH in inches)	27" x 29.5" x 35" 48" x 29.5" x 35"	27.5" x 30" x 36.5" 48" x 30" x 36.5"	27.5" x 30" x 35.25" 47" x 30" x 35.25"	27.75" x 30" x 35.5" 48.25" x 30" x 35.5"	27" x 30" x 35" 47" x 30" x 35"	27.5" x 31.5" x 29.75" 47.5" x 31.5" x 29.75"
Shelves	1 2	1 2	1 2	1 2	1 2	2 4
Temperature Range	-7°– 0°F	-8°– 0°F	-7°– 0°F	-10°– 10°F	-7°– 10°F	-5°– 5°F
Refrigerant	R-404A	R-404A	R-404A	R-404A	R-404A	R-404A
Horsepower	1/5 1/4	1/4 1/2	1/4 1/3	1/2 5/8	1/3 1/2	1/3 1/3
Voltage/Amps	115V/4.6 Amps 115V/5.4 Amps	115V/4.1 Amps 115V/7.2 Amps	120V/5.2 Amps 120V/5.8 Amps	115V/7 Amps 115V/9 Amps	115V/5.4 Amps 115V/8.7 Amps	115V/5.2 Amps 115V/6.4 Amps
Certifications	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
Energy Star	No	No	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	2 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 5 years compressor



# Glass Door Merchandiser Refrigerators

Glass merchandisers are a great way to display cold drinks, food and any other grab n' go items that are sold in your establishment. These units are perfect for convenience stores, delis, markets and so much more. With their anti-fogging glass and illuminated interior, the products inside will always be highly visible to your shoppers. Below are some examples of similar glass door merchandisers.








Brand					
<b>Model Numbers</b>	USRFS Series	GDC Series	AGR Series	KCGM Series	EMGR Series
<b>Number of Doors</b>	1 2	1 2	1 2	1 2	1 2
<b>Exterior</b>	Black Coated Steel	Black Coated Steel	Stainless steel	Black Coated Steel	Coated Steel
<b>Interior</b>	Painted Aluminum	Painted Aluminum	Stainless steel	Painted Aluminum	Painted Aluminum
<b>Capacity</b>	23 cu. ft. 45 cu. ft.	23 cu. ft. 45 cu. ft.	23 cu. ft. 49 cu. ft.	24 cu. ft. 47 cu. ft.	24 cu. ft. 48 cu. ft.
<b>Overall Dimensions (WxDXH in inches)</b>	28" x 32" x 80" 53" x 32" x 80"	28" x 32" x 84" 53" x 32" x 84"	27" x 31.25" x 83.25" 54" x 31.25" x 83.25"	28" x 31.25" x 84" 53" x 30.5" x 83.5"	28" x 32" x 79" 53" x 30" x 79"
<b>Shelves</b>	4 8	4 8	3 6	4 8	4 8
<b>Temperature Range</b>	32°– 41°F	32°– 41°F	33°– 41°F	32°– 50°F	33°– 41°F
<b>Refrigerant</b>	R290	R-134A	R-134A	R-134A	R-134A
<b>Horsepower</b>	1/3 1/2	1/3 1/4	1/3 1/2	1/3 1/2	1/3 1/2
<b>Voltage/Amps</b>	115V/ 8.6 Amps 115V/ 9.2 Amps	115V/ 8.6 Amps 115V/ 10.1 Amps	115V/ 6 Amps 115V/ 8 Amps	115V/ 8.6 Amps 115V/ 9.2 Amps	115V/ 5.5 Amps 115V/ 10.4 Amps
<b>Certifications</b>	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
<b>Energy Star</b>	No	No	No	No	No
<b>Warranty</b>	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 year parts & labor 5 years compressor	3 year parts & labor 5 years compressor

# Bottle Coolers

Bottle coolers will keep all of your beverages cold and ready to serve. Perfect for any size bar, pub or restaurant that operates in a high volume setting. These bottle coolers have a painted aluminum interior for easy cleaning and a black coated steel exterior for a sleek look that goes well with any bar setting. Stainless steel sliding lids on the top allow for easy and quick access to the beverages inside the unit. Plastic coated steel dividers help you keep your beverages organized while the built in bottle opener and cap catcher will keep your work area clean and free of debris on the floor. The lids are lockable so that the beverages inside the unit stay safe after hours. Below are examples of similar bottle coolers.



Brand					
Model Numbers	USBD Series	JBC Series	AUB Series	KCBC Series	EBC Series
Number of Lids	2 2	2 2	2 2	2 2	2 2
Exterior	Black Coated Steel	Black Coated Steel	Black Coated Steel	Black Coated Steel	Black Coated Steel
Interior	Painted Aluminum	Painted Aluminum	Painted Aluminum	Painted Aluminum	Galvanized Steel
Capacity	13 cu. ft. 18 cu. ft.	13 cu. ft. 18 cu. ft.	13 cu. ft. 18 cu. ft.	13 cu. ft. 18 cu. ft.	13.6 cu. ft.
Overall Dimensions (WxDXH in inches)	50" x 28" x 34" 68" x 28" x 34"	50" x 28.5 x 33" 65" x 28.5 x 33"	49.5" x 27" x 36.5" 64.5" x 27" x 36.5"	50" x 28" x 34" 65" x 28" x 34"	49.5" x 26.75" x 33.5" 64.5" x 26.75" x 33.5"
Dividers	3 4	3 3	2 3	3 2	3 4
Temperature Range	32°– 41°F	32°– 41°F	33°– 38°F	32°– 50°F	32°– 42°F
Refrigerant	R290	R-134A	R-134A	R-134A	R-134A
Horsepower	1/6 1/4	1/3 1/4	1/2 1/2	1/3 1/3	1/4 1/4
Voltage/Amps	115V/8 Amps 115V/8.5 Amps	115V/8 Amps 115V/8 Amps	115V/7 Amps 115V/7 Amps	115V/8 Amps 115V/8.5 Amps	115V/4.2 Amps 115V/4.2 Amps
Certifications	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation	UL Listed UL EPH	ETL Listed ETL Sanitation	ETL Listed ETL Sanitation
Energy Star	No	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 year parts & labor 5 years compressor	3 year parts & labor 5 years compressor

# 28" Standard Depth Back Bar Merchandisers

Back bar coolers are a great way to merchandise and store beer, soda and other beverages in your bar or restaurant. Constructed with an all stainless steel countertop, interior floor and walls and features LED lighting and adjustable shelves. These units are available in both glass and solid swing door models. The following are examples some similar back bar merchandisers.



Brand					
Model Numbers	USBB Series	UBB Series	EBBG Series	TBB Series	TBB Series
Number of Doors	2 - Glass 2 - Glass	2 - Glass 2 - Glass	2 - Glass 2 - Glass	2 - Glass 2 - Glass	2 - Glass 2 - Glass
Exterior Countertop Body Construction	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel
Interior	304 stainless steel	304 stainless steel	Galvanized steel	304 stainless steel	304 stainless steel
Capacity (Cu. Ft.)	19 cu. ft. 23.3 cu. ft.	19 cu. ft. 23.3 cu. ft.	20.9 cu. ft. 24 cu. ft.	19 cu. ft. 23 cu. ft.	19 cu. ft. 23 cu. ft.
Overall Dimensions (WxDXH in inches)	59" x 27.25" x 36.25" 69" x 27.75" x 36.25"	59" x 27.25" x 36.25" 69" x 27.75" x 36.25"	57.25" x 27.15" x 37.25" 68" x 27.15" x 37.25"	59" x 27.75" x 37" 69" x 27.75" x 37"	58.75" x 27.25" x 37" 69" x 27.25" x 37"
Shelves	4	4	4	4	6
Keg capacity (1/2 Barrels)	2 3	2 3	2 3	2 3	2 3
Temperature Range	33°– 41°F	33°– 41°F	32°– 42°F	33°– 38°F	33°– 38°F
Refrigerant	R290	R-134A	R-134A	R-134A	R-134A
Horsepower	1/5 1/4	1/3 1/3	1/4 1/4	1/3 1/2	1/3 1/4
Voltage/Amps	115V/ 6.2 Amps 115V/ 6.8 Amps	115V/8 Amps	115V/4.50 Amps 115V/4.50 Amps	115V/9 Amps 115V/9.1 Amps	115V/7 Amps 115V/7 Amps
Certifications	ETL Listed NSF	ETL Listed	ETL Listed ETL Sanitation	UL and UL EPH NSF	ETL Listed ETL Sanitation
Energy Star	No	No	No	No	No
Warranty	1 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 5 years compressor	3 years parts & labor 2 years compressor	3 years parts & labor 2 years compressor

# 28" Standard Depth Beer Dispensers

Beer dispensers are an easy way to offer up cold and refreshing draft beers to your patrons. These units feature stainless steel tap tower(s) that allow you to fill pint glasses and pitchers straight from the keg. Available in a wide range of sizes that can hold a number of different sized keg barrels both for use and storage. The thick stainless steel top and built-in drip trays allow for easy clean-up. These units have solid black vinyl locking doors that conceal the contents inside and keep them secure after hours. Below are examples of similar beer dispensers.



Brand	<b>U-STAR</b>	<b>TURBO</b> REFRIGERATOR MANUFACTURER <b>air</b>	<b>BEVERAGE-AIR</b>	<b>Continental</b> Refrigerator	<b>TRUE</b>
<b>Model Numbers</b>	USBD Series	TBD Series	DD Series	KC Series	TDD Series
<b>Number of Doors</b>	2 2	2 2	2 2	2 2	2 2
<b>Exterior</b>	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel	304 stainless steel Black coated steel
<b>Interior</b>	304 stainless steel	304 stainless steel	304 stainless steel	304 stainless steel	304 stainless steel
<b>Capacity (Cu. Ft.)</b>	19 cu. ft. 23.3 cu. ft.	19 cu. ft. 23.3 cu. ft.	23.8 cu. ft. 28.4 cu. ft.	22 cu. ft. 26 cu. ft.	N/A N/A
<b>Overall Dimensions (WxDXH in inches)</b>	59" x 27.75" x 36.25" 69" x 27.75" x 36.25"	58.75" x 27" x 37" 69" x 27" x 37"	59" x 28" x 37.25" 69" x 28" x 37.25"	59" x 27" x 36.75" 69" x 27" x 36.75"	58" x 28" x 52.25" 69" x 28" x 52.25"
<b>Number of Taps</b>	4 4	4 4	2 2	2 2	2 2
<b>Keg capacity (1/2 Barrels)</b>	2 3	2 3	3 3	2 3	2 3
<b>Temperature Range (°F)</b>	33°– 38°F	33°– 38°F	33°– 38°F	33°– 38°F	33°– 38°F
<b>Refrigerant</b>	R290	R-134A	R-134A	R-134A	R-134A
<b>Horsepower</b>	1/5 1/5	1/3 1/3	1/3 1/3	1/3 1/3	1/3 1/3
<b>Voltage/Amps</b>	115V/6.2 Amps 115V/6.8 Amps	115V/7Amps 115V/7Amps	115V/7.4 Amps 115V/7.4 Amps	115V/6 Amps 115V/9.3 Amps	115V/9.1 Amps 115V/9.1 Amps
<b>Certifications</b>	ETL Listed NSF	ETL Listed NSF	ETL Listed UL EPH	UL Listed NSF	UL Listed NSF
<b>Energy Star</b>	No	No	No	No	No
<b>Warranty</b>	1 year parts & labor 5 years compressor	3 year parts & labor 2 years compressor	3 year parts & labor 5 years compressor	1 year parts & labor 5 years compressor	3 years parts & labor 2 years compressor